



Date: Dealer: Fax:
 Job: Location:

**NOTE: THIS IS NOT A COMPLETE LIST OF KEYSKAN PARTS.
 PLEASE CONTACT KEYSKAN IF YOUR APPLICATION IS NOT RESOLVED HERE.**

Number of doors: In only: or In & Out Number of cardholders:
 Alarm points:
 Elevator cabs: Number of floors to control:

Control Panel Selection

Part #	Description	Qty	Unit Price	Extd Price
CA200	2 reader control, c/w power supply, 8 aux input & 4 aux outputs			\$0.00
CA4000	4 reader control, c/w 1 x power supply, 16 aux inputs & 4 aux outputs			\$0.00
CA8000	8 reader control, c/w 1 x power supply, 16 aux inputs & 8 aux outputs			\$0.00
EC1000	1 elevator cab control, c/w power supply & 8 floor outputs, max 40 floors Note: 4 more OCB's can be added to control up to 40 floors			\$0.00
EC2000	2 elevator cab control, c/w power supply & 8 floor outputs, max 16 floors Note: 2 more OCB's can be added to control 16 floors			\$0.00

Total controllers from above :	0	If greater than 1 then add a CB485 per each control panel		
--------------------------------	---	--	--	--

Note: Each control panel requires 2 x 16Vac 37/40 VA transformers & 1 x 12vdc 7Ahr battery. Electric strikes and magnetic locks require a separate power supply.
Cable Guidelines (Follow device recommendations):
 CAT5 between controllers, max 2000' with CB485 --- 5 cond. 22GA shielded between PC to control, max 100'
 5 cond. 22GA shielded from readers to control, max 500' --- 1 pair 18GA for locking devices max 500'
 4 cond. 22GA from door contacts to control, max 500' --- 4 cond. 22GA for request to exit, max 500'

Part #	Description	Qty	Unit Price	Extd Price
CB485	RS485 COMMUNICATION BOARD			\$0.00
CB485M	RS485 COMMUNICATION BOARD WITH BUILT IN DIALUP MODEM			\$0.00
NETCOM2P	PLUGON NETWORK COMMUNICATION BOARD (Needs CB485)			\$0.00
CPB-10	Communication parallel board: used when adding ACU's to existing systems with CPB10's			\$0.00

NOTE: 2nd OR MORE SITES REQUIRE EITHER: 1 X CB485M OR 1 X CB485 PLUS 1 X NETCOM2P OR 1 X NETCOM2

Software Selection

Part #	Description	Qty	Unit Price	Extd Price
System VII Includes Data Cable	System VII Standard Software complete with 2 client ability. Manages up to hundreds of readers and 32,000 cardholders per site, Unlimited remote sites, via direct connect, dial-up or LAN/WAN connectivity, Multi-language users (English, French & Spanish). Setup wizards to configure a site quickly			\$0.00
System VII SUITE	Includes System VII and its complete suite of add-on software modules. K-TV (CCTV Module), K-BADGE (Photo Badging software), K-CM (Active Mapping/ Command Module) and K-VIS (Visitor Management). Refer to System VII Description for additional details.			\$0.00
K-WEB	System VII WEB Client is an add-on module for System VII that provides a WEB portal for remote 'web based' management of the Keyscan System.			\$0.00
K-CL	System VII Client license for additional concurrent users. Requires System VII.			\$0.00
K-BADGE	System VII Photobadging & Verification license, to enable photobadging & verification feature. Requires System VII.			\$0.00
K-TV	System VII CCTV license, to enable CCTV and Video control. Requires System VII. Call Keyscan for listing of DVR's integrated			\$0.00
K-CM	System VII security Command Module. Requires System VII. Configure alarm warnings to indicate level of priority. Trigger floor plans to open instantly. Active Graphical Maps. Control and view floor plans directly on the system monitor. Create guard tours using inputs or readers. Set individual monitoring windows with specific filtering parameters. Guard Watch Feature.			\$0.00
K-VIS	Know who is on-site, who is being visited and why with Keyscan's Visitor Management Software. The K-VIS (Visitor Management) Software Module is configured for integrating Visitor Management to existing Keyscan System VII software. (Requires System VII)			\$0.00
K-DSC	Complete integration between DSC Power Series Intrusion Panels and the Keyscan System VII software. Allows for display of system, zone, and partition status as well as partition arming and disarming from the software or any system reader. (Requires System VII).			\$0.00

PC Requirements for System VII software	PC Recommendation: Intel Pentium Dual Core 2.2 GHz or higher; Intel Core Duo 2.6 GHz or higher (Celeron not recommended), 100 GB HD, 2Gigabyte of RAM, CD, FDD, Network card, Com port 1 and or 2 USB port & Tape or CD writer for backups, Sound Card and Video Card Supporting 1024x768, Microsoft Internet Explorer 6.0 Service Pack 1 or later, Microsoft .NET 2.0 Framework, Windows 2000, XP PRO, Vista Business, Windows 2003 Server, Windows 2008 Server
---	--

Optional Peripherals

Part #	Description	Qty	Unit Price	Extd Price
OCB8	8 output control board for EC1000, EC2000, CA4000 & CA8000			\$0.00
DPS-12	2 x 12 vdc power supply 1.5 Amp			\$0.00
MC33H	Keyscan manufactured modem for Host PC. 12Vdc operation. 1 required 40-2324 Data cable included.			\$0.00
MC9600	Keyscan manufactured modem for remote access control unit(s). 1 required per remote site. 40-2323 Data cable included.			\$0.00
NETCOM2	RS232 to TCP/IP communication converter for ACU's. Allows communications from ACU's to PC on your LAN/WAN (Require one per site or ACU) See also NETCOM2P			\$0.00
NETCOM2WH	RS232 to Wireless LAN TCP/IP communication converter for ACU's. Allows communications from ACU's to PC on your 802.11b/g Wireless LAN.			\$0.00

KEYSCAN Readers and Cards

Part #	Description	Qty	Unit Price	Extd Price
K-PROX2	Keyscan Prox reader; HID compatible; 4"- 6" read range: mullion or single gang mount			\$0.00
K-KPR	Keyscan combination Keypad/Prox reader; HID compatible; 4"- 6" read range			\$0.00
K-VAN	Keyscan vandal resistant prox reader; HID compatible, solid stainless steel construction			\$0.00
K-SMART	Keyscan contactless Mifare smartcard reader			\$0.00
K-SMART-125	Keyscan combination 125kHz proximity and smartcard reader			\$0.00
K-SMART-GOV	Keyscan smartcard reader, US Government FIPS201 compliant			\$0.00
K-SMART-GOV/125	Keyscan smartcard reader, US Government FIPS201, 125 kHz proximity reader			\$0.00
K-SECURE	Keyscan contactless Mifare smartcard; ISO printable; package of 50			\$0.00

KEYSCAN Biometric Readers

Part #	Description	Qty	Unit Price	Extd Price
SMART-GATE	Keyscan one to one fingerprint reader			\$0.00
SEARCH-GATE	Keyscan tokenless one to many biometric reader (stores up to 1200 fingerprints).			\$0.00

HID Proximity Readers & Cards

Part #	Description	Qty	Unit Price	Extd Price
HID-C1325	Keyscan HID standard prox cards, 36 bit, package of 50 (Order HID-C1326 for 26bit)			\$0.00
HID-T1345	Keyscan HID prox key tags, 36 bit, package of 50 (Order HID T1346 for 26 bit)			\$0.00
HID-C1386	Keyscan HID ISO printable prox cards, 36 bit , package of 50 (Add -26 for 26 bit)			\$0.00
HID-C1386MG	Same as above except c/w HI CO magstripe not programmed, package of 50, (please allow 6 weeks for delivery)			\$0.00
HID-1391	Micro prox tag, cost effective way to get proximity technology for older card technologies. Stick on existing cards for proximity, 36 bit, package of 50			\$0.00
HID-1351	Active prox vehicle tag, requires HID5375 prox reader, 36 bit, package of 1			\$0.00
HID6005B	Entry Level proximity reader, 12VDC operation @ 75mA, 1-2" read range			\$0.00
HID-5365	Mini Prox slimline readers, 12vdc operation @ 75mA, 4-5" read range			\$0.00
HID-5395	Prox wall switch readers, 12vdc operation @ 115mA, 4-5" read range			\$0.00
HID-5455	Prox Pro reader, 12vdc operation @ 125mA, 5-8" read range			\$0.00
HID-5355KP	Prox Pro reader c/w keypad, 12vdc operation @ 100mA, 5-8" read range			\$0.00
HID-5375	Maxi Pro long range reader, 12/24vdc operation @ 700mA/1.2A, 16-24" read range			\$0.00

HID iClass Readers & Cards

Part #	Description	Qty	Unit Price	Extd Price
KEYR10	Keyscan HID R10 iClass reader, 13.56 MHz mullion mount read only contactless smart card			\$0.00
KEYR40	Keyscan HID R40 iClass reader, 13.56 MHz single gang, read only, 12vdc operation @ 50/75mA, 2-4" read range, 36 bit wiegand output			\$0.00
KEYRK40	Keyscan HID RK40 iClass Reader / Keypad, 13.56 MHz single gang, read only, 12vdc operation @ 50/75mA, 2-4" read range, 36 bit output			\$0.00
KEYRW400	Keyscan HID R10 iClass reader / writer, 13.56 MHz mullion mount,			\$0.00
KEY2K2	13.56 mhz contactless smart card (ISO standards for card printing)			\$0.00
KEY16K16	13.56 mhz contactless smart card (ISO standards for card printing)			\$0.00
Note:	Keyscan high security format only works with Keyscan supplied iClass readers			

INDALA Proximity Readers & Cards

Part #	Description	Qty	Unit Price	Extd Price
PX-603	Slimline readers, 12vdc operation @ 65mA, 4-5" read range, 36 bit			\$0.00
PX-605	Wall switch size reader, 12vdc operation @ 65mA, 4-5" read range, 36 bit			\$0.00
PX-610	Master prox reader, 12vdc operation @ 117mA, 8-12" read range, 36 bit			\$0.00
PX-620	Long range prox reader, 12-24vdc operation @1.2Amps, 24-28" read range, 36 bit			\$0.00
PX-K501	Combination Prox/keypad reader, 12vdc operation @ 75mA, 4" read range, 36 bit			\$0.00
PX-C1	Keyscan Indala proximity cards, package of 50, 36 bit, lifetime warranty (add -26 for 26bit)			\$0.00
PXKEY	Keyscan Indala proximity tags, packages of 50, 36 bit, two year warranty			\$0.00
PX-STKTAG	Keyscan Indala adhesive Tag. Cost effective way to get proximity technology for older card			\$0.00
PX-ISO30	Keyscan Indala photo image cards, 1 side only, 36 bit, package of 50			\$0.00
PX-ISO30MG	Same as above except c/w HI CO magstripe not programmed, package of 50 Please allow up to 6 weeks delivery			\$0.00

CCTV

Part #	Description	Qty	Unit Price	Extd Price
K-DVR	Keyscan Hybrid 16 channel DVR. Capability to support up to 4 IP cameras. 100 GB (1 TB) of unit storage. Comes with voucher for free K-TV module.			\$0.00

Other Items

Part #	Description	Qty	Unit Price	Extd Price
				\$0.00
				\$0.00
				\$0.00

Other Readers, Cards & Converters

Part #	Description	Qty	Unit Price	Extd Price
K-RX	Wireless receiver, 10 -24vdc operation @ 80mA, up to 150' reading range, provides 2 (two) independant 36bit Keyscan wiegand outputs. Programmable transmitter button operation (For use with K-TX and K-INTX)			\$0.00
K-TX	Two Button Micro transmitter, c/w HID proximity chip, 36 bit			\$0.00
K-INTX	Four Button Micro transmitter, c/w HID proximity chip , 36 bit			\$0.00
WSSKP-1	Stainless Steel wall switch size keypad, 12vdc operation @ 30mA, can be used for standalone operation, c/w 28 programmable user codes, & digital output			\$0.00
VIS100-SES	Telephone Entry Interface (SES) * SES TEC & CAT DISPLAY ENTRY SYSTEM, THE SES SYSTEM REQUIRES THE USE OF SES'S OPTKPTR TO GIVE RS232 OUTPUT			\$0.00
VIS100-STX	Telephone Entry Interface (SENTEX) * SENTEX INFINITY ENTRY SYSTEM, BE SURE THAT THE SENTEX PANEL HAS THE TWO COM PORTS (A&B). WE USE COM PORT B			\$0.00
VIS100-ENT	Telephone Entry Interface (ENTERPHONE) * VISCOUNT ENTERPHONE 2000, ELEKTRA, AXESS & CRUSADER			\$0.00


Photo Imaging & Badging Peripherals

Part #	Description	Qty	Unit Price	Extd Price
VB-P408	Pebble Evolis card printer kit, c/w 1 x color ribbons (200 prints each), 1 x cleaning kit, 1 x parallel port cable & 100 test print cards			\$0.00
VB-P408DBL	Double Sided Printer- c/w 1 x color ribbon (200 prints)1 x cleaning kit, 1 x parallel port cable and 100 test print cards			\$0.00
VB-P408MAG	Evolis Pebble Printer c/w 3 track Mag Encoder			\$0.00
VBR-C408	Full color print ribbon, good for 200 prints			\$0.00
VBR-B409	Black only print ribbon, good for 500 prints			\$0.00
SIGPEN	USB Signature Capturing Tablet			\$0.00
VB-IUSB2	USB Video capture device for Photo Badging or CCTV interface			\$0.00
BIZSCAN	Business card scanner for Visitor Management software (K-VIS)			\$0.00
BIZSCAN2	Business card scanner with Driver's License recognition for Visitor Management software (K-VIS)			\$0.00
VB-420	PVC Blank ID cards, ID cards only not for access control, package of 100			\$0.00
VB-421	PVC adhesive labels, peel off back, stick on standard access cards, package of 100			\$0.00
VB-424	Table top with centering guides Heavy Duty use card punch for ID cards			\$0.00
VB-426	30" beaded chain, to display ID cards, package of 100			\$0.00
VB-427	Removable strap clips, to display ID cards, package of 100			\$0.00

Total Equipment	\$0.00
-----------------	--------

Keyscan Typical System Layout

(Each site can accommodate hundreds of readers & elevator controls)



Notes:



TOLL FREE: 1.888.539.7226
 PHONE: 905.430.7226 FAX: 905.430.7275
 WEBSITE: www.keyscaan.ca